



Puppet

Stillingastjórnun og sjálfvirkni

Tómas Edwardsson
Ráðgjafi hjá Opnum Kerfum
UT Messan 2012

OPIN KERFI

Gamli skólinn

- Heimasmíðuð stillingastjórnun á Linux/Unix

- Scripts
- Bash
- perl
- scp
- ssh



Gamli skólinn

```
# Redeploy NTPinX

for host in cartman kenny kyle stan
do
    scp /etc/ntp.conf ${host}:/etc/
    scp /etc/ntp/step-tickers ${host}:/etc/ntp/
    ssh ${host} /sbin/service ntpd restart
done
```



Puppet

Gallalaust?

- Brothætt
- Hvað með nýjar uppsetningar?

```
class nginx {  
    package { "nginx": ensure => installed }  
  
    service { "nginx":  
        enable => true,  
        ensure => running,  
        subscribe => Package["nginx"],  
        notify => Service["nginx"],  
    }  
}  
file { '/etc/nginx/nginx.conf':  
    owner => root,  
    group => nginx,  
    mode => 0640,  
    source => 'puppet:///nginx/nginx.conf',  
    subscribe => Package['nginx'],  
    notify => Service['nginx'],  
}
```



```
class nginx {  
    package { "nginx": ensure => installed }  
  
    service { "nginx":  
        enable => true,  
        subscribe => Package["nginx"],  
    }  
    node "cartman.example.com" {  
        include ntp::client  
        file { "/etc/nginx/nginx.conf":  
            owner => root,  
            group => nginx,  
            mode => 0640,  
            source => 'puppet:///nginx/nginx.conf',  
            subscribe => Package['nginx'],  
            notify => Service['nginx'],  
        }  
    }  
}
```




NTP einingen

```
class nginx {  
    package { "nginx": ensure => installed }  
}  
  
class ntp::client {  
    package { "ntp": ensure => installed }  
    service { "ntpd": enable => true,  
              subscribe => Package["ntp"]  
    }  
    file { "/etc/ntp.conf":  
        owner => root,  
        mode => 0644,  
        source => "puppet:///ntp/ntp.conf",  
        subscribe => Package["ntp"],  
        notify => Service["ntpd"],  
    }  
    }  
}
```




Lærði skólinn

- Uppsetning útstöðva
 - PXE ræsing (F12)
 - Uppsetning Ubuntu með preseed
 - Puppet sér um afganginn



Skilgreining útstöðvar

```
node opinn-desktop {  
    include common  
    include firefox-settings  
    include desktop-settings  
    include libreoffice  
    include latex  
    include language-settings  
    include menu-settings  
    include geogebra  
}  
}
```



Puppet

Skilgreining stillinga bjóns


```
service { "nginx":  
    enable => true,  
    subscribe => Package["nginx"],  
}  
  
# Webservers  
node /^web-.*.example.com$/ {  
    include auth  
    include ntp::client  
    include httpd  
    include hardware  
}  
    mode => 0640,  
    source => 'puppet:///nginx/nginx.conf',  
    subscribe => Package['nginx'],  
    notify => Service['nginx'],  
}  
}
```



Erfðir



Puppet




```
class nginx {  
    package { "nginx": ensure => installed }  
  
    service { "nginx":  
        enable => true  
        subscribe => Package["nginx"]  
    }  
  
    file { "nginx.conf":  
        owner => "root"  
        group => "root"  
        mode => "0644"  
        content => template("nginx.conf.erb")  
    }  
}
```

Afhverju Puppet?


- Samræmi
- Rekjanleiki
- Enduruppsetningar
- Endurnýting
- Skjölun
- Tímasparnaður




"Traditional" Operations



Operations - The "Secret Sauce"





Spurningar?

Open Source hópur OK
opensource@ok.is

tommi@ok.is
@tomased

OPIN KERFI